


#170 End View




#170 TRACK: Bi-parting (center opening) operation


## #170 Series Tracks:

Medium duty box track is economical and durable. Track channel is available as galvanized steel or lighter weight black finish aluminum. Black finish tracks include all track parts with black finish. The 170 track model is typically used as a bi-parting (center opening) track with cord operation. May also be used as "one-way" cord operated track for moving leg curtains, scrims, or painted drops on and off stage. Model 172 uses 4" dia. instead of 3" dia. end pulleys and 5/16" dia. instead of 1/4" dia. cord. Model 173 is used for "walk along" operation where the curtain is pulled manually along the track, such as three sided back-stage "cyc" curtain layouts, gym divider curtains, or industrial space divider curtains. Model 173 does not include any pulleys or ropes. Pre-formed track curves in 90°, 75°, 60°, 45° bends are available, but the track can not be custom curved. Model 260 is useful for large window curtains in auditoriums and gyms. Model 260 is a single section track (no track overlap) and uses special master carriers with extended arms to permit the curtain halves to overlap in the middle. Following catalog numbers are for budget pricing tracks "complete with all normal accessories" (CWANA). Some tracks have optional or required hardware which is not included in the CWANA price. CWANA prices do not apply to short tracks. Black finish tracks include all track parts with black finish.


Catalog #	Description	CWANA Price
#170	Bi-parting operation with center overlap, includes #1701 and #1702 carriers .....	\$ 25.86/ft.
#270	Same as #170, but with black aluminum track and black track parts.....	\$ 31.68/ft.
#270P	Same as #170, but with black steel track, black track parts, and larger dia. wheels on carriers. ....	\$POR
#171-N	Same as #170, but with nylon-tired ball-bearing carriers #1737 and #1738 .....	\$ 33.91/ft.
#271-N	Same as #171N, but with black aluminum track and black track parts .....	\$ 33.54/ft.
#171-R	Same as #170, but with neoprene-tired ball-bearing carriers #1749 and #1750 .....	\$ 38.04/ft.
#271-R	Same as #171-R, but with black aluminum track and black track parts .....	\$ 41.86/ft.
#172	Same as #170, but with #2803 and #2804 end pulleys, #1702-A masters, and 5/16" dia. cord .....	\$ 29.04/ft.
#272	Same as #172, but with black aluminum track and black track parts.....	\$ POR
#173	"Walk-along" manual operation (no cords or pulleys), includes #1701 and #1702 carriers. Track curved sections are optional, extra cost items.....	\$ 17.16/ft.
#273	Same as #173, but with black aluminum track and black track parts.....	\$ 25.42/ft.
#173-N	Same as #173, but with nylon-tired ball-bearing carriers #1737 and #1738 .....	\$ 26.64/ft.
#273-N	Same as #173-N, but with black aluminum track and black track parts .....	\$ 27.52/ft.
#173-R	Same as #173, but with neoprene-tired ball-bearing carriers #1749 and #1750 .....	\$ 30.75/ft.
#273-R	Same as #173-R, but with black aluminum track and black track parts .....	\$ 37.91/ft.
#260	Special version of #170 uses a continuous straight track (no overlap in center) and #2602 master carriers with 9" extended arms to allow curtain halves to overlap about 16". Not recommended for heavy curtains due to bending of the extended arms.....	\$ 25.86/ft.
#360	Same as #260, but with black aluminum track and black track parts.....	\$ 32.38/ft.



#2865 Spring tension floor pulley























#173 Track 3-side layout such as would be used for a simple "walk along" backstage "cyclorama" curtain set on a small stage or studio. Easily assembled using straight track sections and pre-formed track curves. Each track curve includes two track splices to join with straight sections. For more complex layouts, the #1400 and #1300 aluminum I-beam style tracks are a better choice.




















Center of #260 track showing two #2602 master carriers with extended arms used to create overlap of leading edges of two curtain sections. Track is single section from end to end.

**Individual Track Parts for #170 Tracks:**

Catalog No.	Description	Price			
1700	Track channel, 14 ga. galv. steel, in lengths up to 24'. Longer tracks may be assembled using track splices. Size 1.75" wide by 2" high, weight 27 oz/ft.....	\$ 10.08/ft			
#1700BL	Track channel, 14 ga. galv. steel with black finish, in lengths up to 24'. Longer tracks may be assembled using track splices. Size 1.75" wide by 2" high, weight 27 oz/ft.....	\$ 13.96/ft	#1700	#1701	#1702
1700ABL	Track channel, 12 ga. extruded aluminum with black finish, in lengths up to 24'. Longer tracks may be assembled using track splices. Size 1.75" wide by 2" high, weight 9 oz/ft.....	\$ 13.93/ft.			
1701	Carrier, 2 plastic wheels and metal body. Width 1-3/16" .....	\$ 4.11	#1703	#1704	#1707
1702	Master carrier, 4 plastic wheels and metal body with 2 cord clamps. Width 3" .....	\$ 16.26			
1703	Live end pulley, two 3" dia. sleeve bearing steel pulleys. Requires approx. 3.25" on track.....	\$ 41.52			
1704	Dead end pulley, one 3" dia. sleeve bearing steel pulley. Requires approx. 3.25" on track..	\$ 22.98			
1707	Overlap clamp (2 required) to rigidly clamp overlap of two tracks. ....	\$ 6.11	#1708	#1709	#1724
1708	Hanging clamp includes pair of steel clamp plates with bolt and nut.....	\$ 3.56			
1709	End stop with eye bolt to support curtain cord. Can fit anywhere along track.....	\$ 4.89			
1724	Splice clamp for suspended tracks. Includes pair of 11 ga steel clamp plates, bolts, and set-screws for assembly and aligning the tracks. Length is 12".and has 3 holes in the top for suspending.....	\$ 51.24	#2805	#2865	#1706
2805	Floor pulley, 3" dia. sleeve bearing steel pulley adjustable tension .....	\$ 57.52			
2865	Floor pulley, spring tension .....	\$ 49.18			
1706	Non-adjustable floor pulley .....	\$ 33.63			
1737	Carrier, 2 nylon-tired, ball-bearing wheels with metal body.....	\$ 12.60	#1737	#1738	#1749 with spacer
1738	Master, 4 nylon-tired, ball-bearing wheels with metal body.....	\$ 31.78			
1749	Carrier, 2 neoprene tired, ball-bearing wheels with metal body. Includes #1726 rubber spacer ring which must be inserted on cord to provide proper spacing between carriers. ....	\$ 17.21			
1750	Master, 4 neoprene tired, ball-bearing wheels with metal body .....	\$ 40.77			
2602	Master carrier with extended arm for creating curtain overlap on a single section track. When a pair of these meet on the track, they will create approx. a 17" curtain overlap. Not recommended for heavy stage curtains because arms can bend from weight of curtain. Has 4 large plastic wheels, 3 swivels for attaching curtain, and 2 cord clamps. Body and arm are 13" long .....	\$ 52.74	#1750	#2602	#TC1
TC1	Trim chain 3 links, total 3" long, Recommended to add to each carrier to permit adjusting curtain height in approx. 1/2" increments .....	\$ .88			
DPB-8 (1728)	Curtain cord, 1/4" dia. (#*8), black Dacron braid over stretch-resistant core. Standard cord furnished with 170 track.....	\$ .60/ft.			
1730	Curtain cord, 5/16" dia., similar to 1728. Used only with 172 and 272 tracks.....	\$ .89	#1728	#3529	
3529	Curtain cord, 3/16" dia.. Wire cable center with black woven polyester outer braid. Used with curtain machines which have a grooved cable drum. ....	\$ .88			

**Individual Track Parts for #170 Tracks:**

Catalog No.	Description	Price			
1740	Scenic carrier, 4 neoprene tired, ball-bearing wheels for hanging masking flats. Very quiet operation. 40# load rating. Includes cord clamps.....	\$ 72.71			
1751-A	Basic scenery carrier, 4 nylon tired, ball-bearing wheels on steel body. Includes 3/8" threaded stud welded to body. Rated at 150# load.....	\$ 68.71	#1740	#1751-A	#1751
1751	Scenery/door carrier, 4 nylon tired, ball-bearing wheels on steel body. Includes threaded mounting plate and bolt to adjust height of scenery/door. Rated at 70# load. ....	\$ 156.18			
HH139BS	Scenery carrier with solid steel body and solid steel ball-bearing wheels. Removable drop forged steel eyebolt can swivel. Rated at 150 pounds.....	\$ 51.42	#HH139BS	#HH140BS	#1703-AS
HH140BS	Scenery carrier with solid steel body and solid steel ball-bearing wheels. Removable 1/2" threaded shaft with flatted sides to fit in track slot. Rated at 150 pounds. ....	\$ 36.76			
1703-AS	Center take-off pulley with 3" dia. steel wheels. Replaces live end pulley when cords leave track somewhere other than the end of the track. For suspended tracks.....	\$ 111.60	#1703-AC	#1703-F	#2624
1703-AC	Similar to 1703-AN, except for use when track is surface mounted against a ceiling. ....	\$ 67.53			
1703-F	Flying live end pulley for use with "flying" curtain machines mounted on the pipe batten above a curtain track. Track cords are routed 180° back over the top of the track.....	\$ 192.63	#1733 back pack guide and carrier	#1752 90° Curve	#1753 75° Curve
1733	Back-pack guide attaches to carrier. Causes curtain to fold at the off-stage ends of track instead of at the leading edge, so curtain appears to "slide" sideways as it opens. Requires 1 for each carrier. Using this accessory also increases the amount of effort required to open the curtain. For use with 1/4" dia. cord.....	\$ 2.72			
1734	Back-pack guide for use with 3/16" dia. wire center cord .....	\$ 2.72	#1753 60° Curve	#1755 45° Curve	#1783 Wall Bracket
1735	Back-pack guide for use with 5/16" dia. cord ..	\$ 2.72			#1702B-12" Master with brake
1752	Track curve galv. steel, 90°, 24" radius, includes 2 of #1724 splice. Approx. 3' x 3' .....	\$ 245.67			
1753	Track curve galv. steel, 75°, 24" radius, includes 2 of #1724 splice. Approx. 2'-8" x 2'-8" .....	\$ 245.67			
1754	Track curve galv. steel, 60°, 24" radius, includes 2 of #1724 splice. Approx. 2'-3" x 2'-3" .....	\$ 245.67			
1755	Track curve galv. steel, 45°, 24" radius, includes 2 of #1724 splice. Approx. 2' x 2' .....	\$ 245.67			
2624	Splice clamp for surface (ceiling) mounted tracks. Includes pair of 11 ga steel plates, bolts, and special drill bit and tap for making threaded holes in the sides of the track to attach the clamp plates. Not for use with suspended tracks.....	\$ 63.67			
1783	Wall bracket for 1700 track. Fabricated of 1-1/2" welded steel angle painted black. Approx. size is 14" high by 14" deep. Has 3/8" dia. mounting holes at 10" and 12" spacing from wall. Bolts to attach track to bracket not included. Requires drilling holes in top of 1700 track on site. ....	\$ 99.42			
#1702B-12"	Master carrier with manual brake for walk-a-long applications. Has nylon tired ball bearing wheels. The spring-loaded brake is released by pulling down on an operating rope (not included) when positioning the carrier along the track. Also available in a 4' long version #1702B4. ....	\$POR			

**BLACK FINISH:**

Most ADC tracks and parts are available with a black finish instead of the original bright galvanized, plated, or aluminum finish. The entire track can have a "stealthy" black finish to make it less noticeable. Prices quoted on request.